

The image is a full-page photograph with a rustic, farmhouse aesthetic. On the left, a dark green, weathered wooden door with a small handle is partially visible. To the right of the door is a large, dense stack of cut firewood. In the foreground, a white ceramic sculpture of a dog, possibly a terrier, stands on a wooden plank floor. The dog is facing left and has a small bow on its head. Behind the dog are two large, galvanized metal tubs. The overall lighting is soft and natural, suggesting an outdoor setting.

TOSCOT
MADE BY PEOPLE



Indice
Index

Hospitalité

Hospitality
Ospitalità
Gastfreundschaft
Hospitalidad

-  Novecento /8
-  Chapeau! /18
-  Fishats /28
-  Swing /32
-  Swing rame /37
-  Pendulum /40
-  Match /44
-  Battersea /48
-  Henry /58

Los esmaltes

Gli smalti
Les glaçures
Die Emails
The glazes

-  Rossi /64
-  Aura /70
-  Bistrò /74
-  Torino /76
-  Asiago /82
-  Traffic /86
-  Clover /90
-  Apuane /94
-  Settimello /100
-  Vinci /104

Materiales

Matter
Matériels
Materie
Materialien

-  Notorius /108
-  Newton /112
-  Carso /116
-  Montecristo /120
-  Vivaldi /124
-  Carrara /128

the Outdoor

Fuera de la
l'Esterno
En dehors de la
Außerhalb der



Bistro /132



Battersea /134



Swinger /136



Novecento Lanterna /138



Spoletto /142



Chapeau! /144



Smith /148



Square/Oval /154



U-Boat /156



Atlante /158



Castelverde /160



Lido /162



Edge /164



Hans /166



Marion /168



Novecento /8



Swing /32



Swing rame /37

Accessori

Complements
Zubehör
Accessoires
Accesorios



Sherwood /172



Tirrenia /174



Gesti /174



Candelsea /174



Jules /176

Tabelle colori /178

Indice articoli /182

Made by people

Fatto da persone
Fabriqué par des gens
Hecho por personas
Von Menschen gemacht



1

Sistemi decorativi per i
vostri progetti.

—
Decorative systems to
light up your projects.

HOSPITALITÉ

Hospitalité
Hospitality
Ospitalità
Gastfreundschaft
Hospitalidad

Novecento
Chapeau!
Fishats
Swing
Swing Rame
Pendulum
Match
Battersea
Henry





IP GRADE
20
44 (with outdoor
neoprene cable)

MATERIALS
Tuscan maiolica, blown glass,
metal-aluminium components.
Maiolica toscana, vetro soffiato,
componenti in metallo e alluminio.

COLOURS IN PHOTO
nero matt 58
wine matt 76

COLOUR CHART
(3)

ELECTRIC CABLE
red
brown
grey
b&w
black
blue

ELECTRIC CABLE
OUTDOOR/ESTERNO
neoprene



METAL
nichel satinato NCS

GLASS
trasparent




NOVECENTO

Sistema / System

				
ARTICLE	900	901	902	
DIMENSIONS	glass Ø 100 h 320 1500 cable	plate Ø 230 h 320 1500 cable	cage Ø 165 h 320 1500 cable	
POWER	1 x E27 max 15W (Ø max 60mm)	1 x E27 max 15W (Ø max 60mm)	1 x E27 max 15W (Ø max 60mm)	
				
ARTICLE	903	904	906	907
DIMENSIONS	Ø 120	Ø 75 inc. 6000 steel cable	Ø 75 inc. 1500 steel cable	Ø 75 h 250 inc. 6000 steel cable

ESEMPIO
EXAMPLE



COMPONENTI
COMPONENTS

- 1 x 903
- 1 x 906 (opzionale / optional)
- 1 x 904
- 4 x 900



IP GRADE
20
44 (with outdoor
neoprene cable)

MATERIALS
Tuscan maiolica, blown glass,
metal-aluminium components.
Maiolica toscana, vetro soffiato,
componenti in metallo e alluminio.

COLOURS IN PHOTO
sugar matt 77

COLOUR CHART
(3)

ELECTRIC CABLE
red
brown
grey
b&w
black
blue


ELECTRIC CABLE
OUTDOOR/ESTERNO
neoprene

METAL
nichel satinato NCS

GLASS
trasparent


NOVECENTO

Sistema / System


			
ARTICLE	900	901	902
DIMENSIONS	glass Ø 100 h 320 1500 cable	plate Ø 230 h 320 1500 cable	cage Ø 165 h 320 1500 cable
POWER	1 x E27 max 15W (Ø max 60mm)	1 x E27 max 15W (Ø max 60mm)	1 x E27 max 15W (Ø max 60mm)

		
ARTICLE	903	919
DIMENSIONS	Ø 120	length 1000 tot.h.max 1500


ESEMPIO
EXAMPLE




COMPONENTI
COMPONENTS



ESEMPIO
EXAMPLE



COMPONENTI
COMPONENTS





NOVECENTO

Sistema / System

IP GRADE
20
44 (with outdoor
neoprene cable)

MATERIALS
Tuscan maiolica, blown glass,
metal-aluminium components.
Maiolica toscana, vetro soffiato,
componenti in metallo e alluminio.

COLOURS IN PHOTO
smalto carminio 50

COLOUR CHART
(3)

ELECTRIC CABLE
red
brown
grey
b&w
black
blue


ELECTRIC CABLE
OUTDOOR/ESTERNO
neoprene

METAL
nichel satinato NCS


GLASS
trasparent

ARTICLE	900CH	901CH	902CH	903
DIMENSIONS	glass Ø 100 tot.h.max 1500 1000 cable	plate Ø 230 tot.h.max 1500 1000 cable	cage Ø 165 tot.h.max 1500 1000 cable	Ø 120
POWER	1 x E27 max 15W (Ø max 60mm)	1 x E27 max 15W (Ø max 60mm)	1 x E27 max 15W (Ø max 60mm)	

ESEMPIO
EXAMPLE



COMPONENTI
COMPONENTS










NOVECENTO

Sistema / System




					
ARTICLE	900P	912	913	914	960
DIMENSIONS	base Ø 120 glass Ø 100 h 275	base Ø 120 glass Ø 100 h 320 depth 240	base Ø 120 plate Ø 230 h 320 depth 310	base Ø 120 cage Ø 165 h 320 depth 270	Ø 55x30 h. 25
POWER	1 x E27 max 15W (Ø max 60mm)	1 x E27 max 15W (Ø max 60mm)	1 x E27 max 15W (Ø max 60mm)	1 x E27 max 15W (Ø max 60mm)	

ESEMPIO
EXAMPLE



COMPONENTI
COMPONENTS



IP GRADE

20
44 (with outdoor
neoprene cable)

MATERIALS

Tuscan maiolica, blown glass,
metal-alluminium components.
Maiolica toscana, vetro soffiato,
componenti in metallo e alluminio.

COLOURS IN PHOTO

- nero matt 58
- wine matt 76
- sugar paper 77
- smalto tortora 51
- liceni 52
- smalto bianco 8




COLOUR CHART (3)

- ELECTRIC CABLE
- red
 - brown
 - grey
 - b&w
 - black
 - blue

ELECTRIC CABLE OUTDOOR/ESTERNO

- neoprene
- nicel satinato NCS

- GLASS
- trasparent

			
ARTICLE	900S	901S	902S
DIMENSIONS	base Ø 120 glass Ø 100 h 320 tot.h.max 1500	base Ø 120 plate Ø 230 h 320 tot.h.max 1500	base Ø 120 cage Ø 165 h 320 tot.h.max 1500
POWER	1 x E27 max 15W (Ø max 60mm)	1 x E27 max 15W (Ø max 60mm)	1 x E27 max 15W (Ø max 60mm)



CHAPEAU!

Interno / Indoor

					
ARTICLE	1050	1050 GU	1026.1 copri scatola di derivazione /junction box cover	1025	FLEXTUBE
DIMENSIONS	base Ø 130 glass Ø 130 depth 150	Ø 130 h. 120		Ø 20 h 23	
POWER	1 x E27 max 15W (max Ø 60 x h 115)	1 x GU10 max 15W	base Ø 130 h 55		
FORI DI USCITA EXIT HOLES	 1050.1  1050.2  1050.2L  1050.3	 1050 GU.1  1050 GU.2  1050 GU.2L  1050 GU.3	 1026.2  1026.2L  1026.3  1026.4		

IP GRADE
20


MATERIALS
Copper, aluminium, steel, blown glass.
Rame, alluminio e acciaio, vetro soffiato.

GLASS
trasparente
acqua
whisky
indaco

FLEXTUBE
natural copper / rame naturale RMN*
patined copper / rame invecchiato RMP
steel / acciaio ACC

METAL (base)
natural copper / rame naturale RMN
patined copper / rame invecchiato RMP
anodized aluminium / alluminio anodizzato ALL

ESEMPIO
EXAMPLE



COMPONENTI
COMPONENTS

 1025 x 4
 1050.1 x 2
 1050.2 x 2
 flex tube x 4 m
 C.AWG.mt x 5,5 m



IP GRADE
20

MATERIALS
Copper, aluminium, steel, blown glass.
Rame, alluminio e acciaio, vetro soffiato.

GLASS
trasparente
acqua
whisky
indaco

FLEXTUBE
natural copper / rame naturale RMN*
patined copper / rame invecchiato RMP
steel / acciaio ACC

METAL (base)
natural copper / rame naturale RMN
patined copper / rame invecchiato RMP
anodized aluminium / alluminio anodizzato ALL



CHAPEAU!

Interno / Indoor



ARTICLE

1051

1051 GU

DIMENSIONS

base Ø 130
glass Ø 130
h 150
h tot 1100

base Ø 130
h 120
h tot 1100

POWER

1 x E27 max 15w
(max Ø 60 h.115)

1 x GU10 max 15w



CHAPEAU!

Interno / Indoor



IP GRADE
20
44 (wall lights)


MATERIALS
Copper, aluminium, steel, blown glass.
Rame, alluminio e acciaio, vetro soffiato.

GLASS
trasparente
acqua
whisky
indaco

FLEXTUBE
natural copper / rame naturale RMN*
patined copper / rame invecchiato RMP
steel / acciaio ACC

METAL (base)
natural copper / rame naturale RMN
patined copper / rame invecchiato RMP
anodized aluminium / alluminio anodizzato ALL

ARTICLE



1055BL

DIMENSIONS

base Ø 130
glass Ø 130
cable 1500

POWER

1 xE27 max 15w
(max Ø 60 h 115)



1058 c/vetro

base 60 x 30
h 150
depth 165
glass Ø 130

1 xE27 max 15w
(max Ø 60 h 115)



1059

base 60 x 30
h 120
depth 165

1 x GU10 max 15w

CHAPEAU!


Interno / Indoor





CHAPEAU!

Interno / Indoor

ARTICLE					
	1052 GU	1052	1026.1 copri scatola di derivazione /junction box cover	1025	FLEXTUBE
DIMENSIONS	base Ø 130 h 120	base Ø 130 depth 70	base Ø 130 h 55	Ø 20 h 23	
POWER	1 x GU10 max 15w	1 x E27 max 25w			
FORI DI USCITA EXIT HOLES	 1052 GU.1  1052 GU.2  1052 GU.2L  1052 GU.3	 1052.1  1052.2  1052.2L  1052.3	 1026.2  1026.2L  1026.3  1026.4		


IP GRADE
20

MATERIALS
Copper, aluminium, steel, blown glass.
Rame, alluminio e acciaio, vetro soffiato.

COLOURS IN PHOTO
smalto bianco 8
wine matt 76
sugar paper 77
cactus 81

FLEXTUBE
natural copper / rame naturale RMN*
patined copper / rame invecchiato RMP
steel / acciaio ACC

METAL (base)
natural copper / rame naturale RMN
patined copper / rame invecchiato RMP
anodized aluminium / alluminio anodizzato ALL






FISHATS

IP GRADE
20

MATERIALS
structure in varnished aluminium and brass
shade in waterproof polyester
struttura in alluminio e ottone verniciato
paralume in poliestere impermeabile

SHADE
Rubino
Dune
Costa
Siena

METAL
corten CT



ARTICLE

FH11

FH05

DIMENSIONS

base Ø 130
Ø 200
tot. h max 1500

base Ø 130
Ø 200
h 340

POWER

1 x E27 max 12w LED

1 x E27 max 12w LED




FISHATS

IP GRADE
20

MATERIALS
structure in varnished aluminium and brass
shade in waterproof polyester
struttura in alluminio e ottone verniciato
paralume in poliestere impermeabile

SHADE
Rubino
Dune
Costa
Siena

METAL
corten CT



ARTICLE
FH13
DIMENSIONS
Ø 200
h 220
cable 3000
POWER
1 x E27 max 12w LED



ARTICLE
FH14
DIMENSIONS
base Ø 130
depth 60

FORI DI USCITA
EXIT HOLES

FH14.3
FH14.6
FH14.9



SWING

IP GRADE
55

MATERIALS
Tuscan maiolica, blown glass,
metal-aluminium components.
Maiolica toscana, vetro
soffiato, componenti in metallo e
alluminio.



COLOURS IN PHOTO
cactus 81
stone matt 82
orange matt 80

COLOUR CHART
(3)

ELECTRIC CABLE
OUTDOOR/ESTERNO
neoprene

METAL
Alluminio anodizzato ALL
/ Anodised aluminum

GLASS
bianco
trasparente
whisky
acqua



ARTICLE	1010S	1012
DIMENSIONS	base Ø 130 glass Ø 130 h 250 tot.h.max 1500	base Ø 130 glass Ø 130 h 280/depth 220
POWER	1 x E27 max 15w (max Ø 60 h. 105 mm)	1 X E27 max 15 w (max Ø 60 h. 105 mm)



IP GRADE
55

MATERIALS
Tuscan maiolica, blown glass,
metal-aluminium components.
Maiolica toscana, vetro
soffiato, componenti in metallo e
alluminio.

COLOURS IN PHOTO
cactus 81


COLOUR CHART
(3)

ELECTRIC CABLE
OUTDOOR/ESTERNO
neoprene

METAL
Alluminio anodizzato ALL
/ Anodised aluminum

GLASS
bianco
trasparente
whisky
acqua


SWING



ARTICLE 1010
DIMENSIONS glass Ø 130
h 220
1500 cable
POWER 1 x E27 max 15W
(max Ø 60 h. 105 mm)



ARTICLE 1011
DIMENSIONS Ø 130




904
Ø 75
inc. 6000 steel cable



906
Ø 75
inc. 1500 steel cable

ESEMPIO
EXAMPLE



COMPONENTI
COMPONENTS

1 x 1011
1 x 906 (opzionale / optional)
1 x 904
3 x 1010



SWING

Rame / Copper



SWING

Rame / Copper

IP GRADE
55

MATERIALS
Copper, steel , blown glass
Rame , acciaio , vetro soffiato

ELECTRIC CABLE
OUTDOOR/ESTERNO
neoprene


METAL
natural copper / rame naturale RMN*
Patined copper/ rame invecchiato RMP
Anodized aluminium/ alluminio anodizzato ALL

* : this colour will age outdoor
all'esterno questo colore scurirà.

GLASS
bianco
trasparente
whisky
acqua

ARTICLE	1015S	1015	1016
DIMENSIONS	base Ø 130 Ø 130 h 230 1500 cable tot.h.max 1500	Ø 130 h 230 1500 cable tot.h.max 1500	base Ø 130 glass Ø 130 h 270/depth 210
POWER	1 x E27 max 15W (max Ø. 60 h. 115 mm)	1 x E27 max 15W (max Ø. 60 h. 115 mm)	1 x E27 max 15W (max Ø. 60 h. 115 mm)
ARTICLE	1017	1018	1019
DIMENSIONS	Ø 100 h 85	Ø 100 inc. 6000 steel cable	Ø 18 inc. 1500 steel cable

ESEMPIO
EXAMPLE



COMPONENTI
COMPONENTS

- 1 x 1017
- 1 x 1019
- 1 x 1018
- 3 x 1015



PENDULUM

COLOUR CHART (3 e 5)

IP GRADE
20


MATERIALS
Glazed slip cast ceramic,
varnished metal
Ceramica bianca smaltata ,
metallo verniciato

COLOURS IN PHOTO


100 Smalto Bronzo
101 Beton matt
102 Vulcan matt

ELECTRIC CABLE
black

METAL
black/nero NB



ARTICLE	1250	1250BIN
DIMENSIONS	base Ø 95 Ø 175 h 150 tot.h.max 1500	Ø 175 h 150 tot.h.max 1500 for track fixture/ per montaggio binario
POWER	1 x GU10 max 10w	1 x GU10 max 10w



ARTICLE	BIN 150 S	BIN 150
DIMENSIONS	base Ø 60 h. 80 - 1000 length 1500	Ø 30 h 38 length 1500



PENDULUM


COLOUR CHART
(3 e 5)

IP GRADE
20

MATERIALS
Glazed slip cast ceramic,
varnished metal
Ceramica bianca smaltata ,
metallo verniciato

COLOURS IN PHOTO
100 Smalto Bronzo
101 Beton matt

METAL
black/nero NB



ARTICLE

1251

DIMENSIONS

base Ø 95
Ø 175
h/depth 150

POWER

1 x GU10 max 10w or
1 x E27 max 15w



IP GRADE
20

MATERIALS
Slip cast ceramics, brass and copper
Ceramica bianca, ottone e rame

COLOURS IN PHOTO


- brick matt 94
- moka matt 70
- wine matt 76
- grafite matt 96
- cactus matt 81

ELECTRIC CABLE
black

COLOUR CHART
(3)


METAL

- Brushed copper/ rame spazzolato RMS
- Brushed nickel/ nichel spazzolato NCS
- Brushed brass/ ottone spazzolato BS
- Flamed copper/ rame fiamma RMF



MATCH

ARTICLE	1215	1215H	1215 BIN
DIMENSIONS	base Ø 85 Ø 60 h 165 tot. h max 1500	base Ø 85 Ø 60 h 265 tot. h max 1500	Ø 60 h 165 tot. h max 1500 for track fixture/ montaggio binario (see Pendulum series)
POWER	1 x GU10 max 10w	1 x GU10 max 10w	1 x GU10 max 10w
ARTICLE	1212	1212H	1213
DIMENSIONS	Ø 60 h 165	Ø 60 h 260	base 180 x 60 h 165
POWER	1 x GU10 max 10w	1 x GU10 max 10w	2 x GU10 max 10w



MATCH

IP GRADE
20

MATERIALS
Slip cast ceramics, brass and copper
Ceramica bianca, ottone e rame

- COLOURS IN PHOTO
- Wine matt 76
 - Oliva matt 95
 - Grau matt 71
 - salvia matt 97
 - flesh matt 92

ELECTRIC CABLE
black

COLOUR CHART
(3)

- METAL
- Brushed copper/ rame spazzolato RMS
 - Brushed nickel/ nichel spazzolato NCS
 - Brushed brass/ ottone spazzolato BS
 - Flamed copper/ rame fiamma RMF

ARTICLE	1210	1211
DIMENSIONS	base 75 x 50 h 170 depth 105	base 75 x 50 h 265 depth 105
POWER	1 x GU10 max 10w	2 x GU10 max 10w

ARTICLE	1214	1210H	1211H
DIMENSIONS	Ø 60 h 205	base 75 x 50 h 260 depth 105	base 75 x 50 h 455 depth 105
POWER	1 x GU10 max 10w	1 x GU10 max 10w	2 x GU10 max 10w



BATTERSEA



BATTERSEA

COLOUR CHART (3)

IP GRADE
20

MATERIALS
Slip cast ceramics, metal-
aluminium components
Ceramica bianca, componenti in
metallo e alluminio

COLOURS IN PHOTO
smalto bianco 8
nero matt 58
smalto melon 90


ELECTRIC CABLE
black
brown
ivory
gold

METAL (base)
nichel satinato NCS

ARTICLE

DIMENSIONS


POWER



951S

base Ø 115
Ø 75
h 155
tot.h.max 1500


1 x E27 max 25W
1 x GU10 max 10W



952S

base Ø 115
Ø 160
h 160
tot.h.max 1500

1 x E27 max 25W
1 x GU10 max 10W



954/22S

base Ø 115
Ø 110
h 220
tot.h.max 1500

1 x E27 max 25W
1 x GU10 max 10W



BATTERSEA

COLOUR CHART (3)


IP GRADE
20

MATERIALS
Slip cast ceramics, metal-
aluminium components
Ceramica bianca, componenti in
metallo e alluminio

COLOURS IN PHOTO
smalto bianco 8
nero matt 58

ELECTRIC CABLE
black
brown
ivory
gold




METAL (base)
nichel satinato NCS




ARTICLE	953BS	955BS	955G
DIMENSIONS	base Ø 115 Ø 270 h 180 tot.h.max 1500	base Ø 115 Ø 210 h 275 tot.h.max 1500	base Ø 115 Ø 410 h 430 tot.h.max 1500
POWER	1 x E27 max 25W 1 x GU10 max 10W	1 x E27 max 25W	1 x E27 max 25W



BATTERSEA

				
ARTICLE	951ST	952ST	954ST	975ST
DIMENSIONS	Ø 75 h 165 tot.h.max 1500	Ø 160 h 170 tot.h.max 1500	Ø 110 h 230 tot.h.max 1500	Ø 80 h 55
POWER	1 x E27 max 25W 1 x GU10 max 10W	1 x E27 max 25W 1 x GU10 max 10W	1 x E27 max 25W 1 x GU10 max 10W	

ESEMPIO
EXAMPLE



COMPONENTI
COMPONENTS

-  975ST x 4
-  951ST x 3

COLOUR CHART
(3)




IP GRADE
20

MATERIALS
Slip cast ceramics, metal-
aluminium components
Ceramica bianca, componenti in
metallo e alluminio



COLOURS IN PHOTO
smalto bianco 8
nero matt 58

ELECTRIC CABLE
black
brown
ivory
gold

METAL (base)
nichel satinato NCS

			
ARTICLE	951	952	954/22
DIMENSIONS	Ø 75 h 155 3000 cable	Ø 160 h 160 3000 cable	Ø 110 h 220 3000 cable
POWER	1 x E27 max 25W 1 x GU10 max 10W	1 x E27 max 25W 1 x GU10 max 10W	1 x E27 max 25W 1 x GU10 max 10W

					
ARTICLE	957	958	970	960	959
DIMENSIONS	Ø 115 h. 55	Ø 150 h. 60	Ø 200 h. 55	Ø 55x30 h. 25	Ø 80x35 h. 70

ESEMPIO EXAMPLE	COMPONENTI COMPONENTS	ESEMPIO EXAMPLE	COMPONENTI COMPONENTS
	 970 x 1  951 x 2  954/22 x 2  952 x 2		 951 x 1  957 x 1  959 x 1  960 x 1



COLOUR CHART
(3)

IP GRADE
20




MATERIALS
Slip cast ceramics, metal-
aluminium components
Ceramica bianca, componenti in
metallo e alluminio

COLOURS IN PHOTO	
	Nero matt 58
	Winematt 76
	Senape matt 91
	Khaki matt 93
	Cactus matt 81



BATTERSEA



			
	ARTICLE 971	ARTICLE 971BIN	ARTICLE 973
	DIMENSIONS base Ø 115 h 250 Ø 75	DIMENSIONS Ø 75 h 200 track fitting/montaggio binario (see Pendulum series)	DIMENSIONS base Ø 115 Ø 225 h 25
	POWER 1 x GU10 max 10w	POWER 1 x GU10 max 10w	POWER 1 x E27 max 25w
			
	ARTICLE 956P	ARTICLE 952P	ARTICLE 951P
	DIMENSIONS base Ø 115 Ø 130 h 180	DIMENSIONS base Ø 115 Ø 160 h 150	DIMENSIONS base Ø 115 Ø 75 h 155
	POWER 1 x GU10 max 10w	POWER 1 x GU10 max 10w	POWER 1 x GU10 max 10w



THERE'S A HOLE IN
MY BUCKET,
DEAR LIZA,
DEAR LIZA,
THERE'S A HOLE IN
MY BUCKET,
DEAR LIZA, A HOLE.

THEN FIX IT, DEAR
HENRY,
DEAR HENRY, DEAR



HENRY

IP GRADE
20


MATERIALS
Slip cast ceramics, metal-
aluminium components
Ceramica bianca, componenti in
metallo e alluminio

COLOURS IN PHOTO
smalto bianco 8
moka matt 70
grau matt 71
nero matt 58


COLOUR CHART
(3)

ELECTRIC CABLE
black
brown
grey

METAL
Brushed copper/ rame spazzolato RMS
Brushed nickel/ nichel spazzolato NCS
Brushed brass/ ottone spazzolato BS
patined copper/ rame patinato RMP



ARTICLE	990	991	990 ROS
DIMENSIONS	base Ø 120 Ø 200 tot.h.max 1500	Ø 200 tot.h.max 1500	Ø 120
POWER	1 x E27 max 25w	1 x E27 max 25w	





LOS ESMALTES

Los esmaltes
Gli smalti
Les glaçures
Die Emails
The glazes

Tutto cambia quando i
colori sono diversi.

—
Everything changes when
it changes colour.

Rossi
Aura
Bistrò
Torino
Asiago
Traffic
Clover
Apuane
Settimello
Vinci





IP GRADE
20

MATERIALS
Tuscan maiolica, brass
components.
Maiolica toscana,
componenti in ottone.

COLOURS IN PHOTO
blu navy 55
melon 90


COLOUR CHART
(3)

ELECTRIC CABLE
grey

METAL
Zinc/Zincato ZIN




ROSSI



1091/30

base Ø 130
plate Ø 300
tot. h. max 1500

1X E27max 25w



1092/30

base Ø 130
plate Ø 300
h. 300
depth 365

1X E27max 25w



1091/42

base Ø 130
plate Ø 420
tot. h. max 1500

1X E27max 25w



1093/30

base Ø 130
plate Ø 200
h. 380
tot. h. max 1500


1X E27max 25w



1091/20

base Ø 130
plate Ø 200
tot. h. max 1500

1X E27max 25w



1093/42

base Ø 130
plate Ø 420
h. 350

1X E27max 25w



ROSSI

COLOURS IN PHOTO

nero lucido/smalto rosa 87/89
 smalto rosa / smalto carminio 89/50
 verde inglese/smalto tortora 54/51
 melon/smalto bianco 90/8
 smalto carminio / smalto bianco 50/8





ROSSI

IP GRADE
20

MATERIALS
Tuscan maiolica, brass
components.
Maiolica toscana,
componenti in ottone.

COLOURS IN PHOTO
Pietra/ smalto Bronzo 41/100
Galestro nero/ Smalto Bronzo 45/100
Ref. Bianco/ Smalto Bronzo RB/100

COLOUR CHART
(3 e 5)

ELECTRIC CABLE
grey

METAL
Zinc/Zincato ZIN

POWER

Available as in foto
GU10 fixture/ Disponi-
bile come da immagine
montaggio GU10



AURA

IP GRADE
20

MATERIALS
Glazed tuscan maiolica ,
varnished metal structure.
Maiolica smaltato, struttura
in metallo verniciato

COLOURS IN PHOTO
(from left to right)

- nero matt/grafite matt/stone matt 58/96/82
- moka matt/ grau matt/ flesh matt 70/71/92
- sugar matt/aqua matt/bianco matt 77/88/57
- salvia matt/ khaki matt / bianco matt 97/93/57
- (from left to right)
- grau matt/ senape matt/ sugar matt 71/91/77
- brick matt/orange matt/flesh matt 94/80/92

COLOUR CHART
(3)

ELECTRIC CABLE
Black

METAL
Black

ARTICLE	1240/20	1240/32
DIMENSIONS	base Ø 70 h. 165 plate Ø 200 tot.h. max 1500	base Ø 100 h. 220 plate Ø 320 tot.h. max 1500
POWER	1 xE27 max 20w	1 x E27 max 25w



AURA



IP GRADE
20

MATERIALS
Glazed tuscan maiolica ,
varnished metal structure.
Maiolica smaltato, struttura
in metallo verniciato

COLOURS IN PHOTO



 salvia matt/ bianco matt/ khaki matt 97/57/93
 senape matt/ sugar matt/ oliva matt 91/77/95
 wine matt/orange matt/ flesh matt 76/80/ 92

COLOUR CHART
(3)

ELECTRIC CABLE
 Black

METAL
 Black

ARTICLE	1241	1242
DIMENSIONS	base 120 x 40 h. 300 plate Ø 200 depth 260	base Ø 190 h. 270 plate Ø 200 cable 1500
POWER	1 x E27 max 20w	1 x E27 max 20w





IP GRADE
20

MATERIALS
Tuscan maiolica, metal varnished structure
Maiolica toscana , struttura metallo verniciato

COLOURS IN PHOTO


- Brick Matt 94
- Bianco matt 57
- Nero matt 58
- Oliiva matt 95
- Senape Matt 91
- Khaki Matt 93

COLOUR CHART
(3)

- METAL
- Black

BISTRÒ

Interno / Indoor



ARTICLE	1183	1181	1180
DIMENSIONS	base Ø 300 h. 1420 depth 450 cable 2000	base 80 x 105 lenght 260 h 140	base Ø 120 depth 290 h 130
POWER	1 x E27 max 25w	1 x E27 max 25w	1 x E27 max 25w



IP GRADE
20

MATERIALS
Tuscan maiolica, metal
components
Maiolica toscana,
componenti in metallo

COLOURS IN PHOTO
nero 58


COLOUR CHART
(1 e 3)

ELECTRIC CABLE
grey

METAL
crome/cromo CR



TORINO



ARTICLE	829	830
DIMENSIONS	base Ø 120 plate 670 x 220 h 425 tot.h.max 1500	base Ø 120 plate Ø 280 h 370 tot.h.max 1500
POWER	2 x E27 max 25W	1 X E27 max 25W



TORINO

IP GRADE
20




MATERIALS
Tuscan maiolica, metal
components
Maiolica toscana,
componenti in metallo

COLOURS IN PHOTO
wine matt 76
grau matt 71
bianco matt 57
oliva matt 95

COLOUR CHART
(1 e 3)

ELECTRIC CABLE
grey

METAL
crome/cromo CR



ARTICLE	821	822	826G
DIMENSIONS	base Ø 120 plate Ø 270 h 280 tot.h.max 1500	base Ø 120 plate Ø 470 h 450 tot.h.max 1500	base Ø 120 plate Ø 340 h 500 tot.h.max 1500
POWER	1 x E27 max 25w	1 x E27 max 25w	1 x E27 max 25w



TORINO



IP GRADE
20

MATERIALS
Tuscan maiolica, metal
components
Maiolica toscana,
componenti in metallo

- COLOURS IN PHOTO**
smalto giallo napoli 98
smalto blu navy 55
smalto tortora 51
smalto marino 99
lemon matt 78
sugar matt 77
brick matt 94

COLOUR CHART
(1 e 3)

ELECTRIC CABLE
grey

METAL
crome/cromo CR

ARTICLE	833	837	838	839
DIMENSIONS	base 180 x 155 depth 130	base Ø 135 h 95	base Ø 140 h 115	base Ø 165 h 45
POWER	1 x E27 max 25w	1 x E27 max 25w	1 x GU10 max 15w	1 x GX 53 max 10w
ARTICLE	820	831		
DIMENSIONS	base Ø 120 plate Ø 270 h 280 depth 335	base Ø 120 plate Ø 280 h 300 depth 340		
POWER	1 x E27 max 25w	1 x E27 max 25w		



ASIAGO

IP GRADE
20

MATERIALS
Tuscan maiolica and brass metal
Maiolica toscana e braccio inottone

COLOURS IN PHOTO
bianco matt 57
acqua matt 88
nero matt 58

COLOUR CHART
(1 & 3)

ELECTRIC CABLE
brown

METAL
brunito BRU

ARTICLE	1130/25	1130/37	1130/44	1131/25
DIMENSIONS	base Ø. 110 plate Ø. 250 tot. h. max 1500	base Ø. 110 plate Ø. 370 tot. h. max 1500	base Ø. 110 plate Ø. 440 tot. h. max 1500	base Ø. 120 plate Ø. 250 depth 310
POWER	1 x E27 max 25w	1 x E27 max 25w	1 x E27 max 25w	1 x E27 max 25w
ARTICLE	1132/25	1132/37	1132/44	
DIMENSIONS	base Ø. 120 plate Ø. 250 h. 230	base Ø. 120 plate Ø. 370 h. 250	base Ø. 120 plate Ø. 440 h. 250	
POWER	1 x E27 max 25w	1 x E27 max 25w	1 x E27 max 25w	





ASIAGO

COLOURS IN PHOTO

Oliva matt/brick matt 95/94
 Senape matt/ bianco matt 91/57
 Sugar matt/khaki matt 77/93
 Graphite matt/ stone matt 96/82









TRAFFIC

IP GRADE
20

MATERIALS
Slip cast ceramics,
metal base.
Ceramica bianca,
base in metallo.

COLOURS IN PHOTO
acid matt 79
orange matt 80
moka matt 70

COLOUR CHART
(3)

			
ARTICLE	1032LP	1032P	1031P
DIMENSIONS	h 150 depth 140	h 220 depth 140	h 150 depth 140
POWER	2 x E27 max 25w	2 x E27 max 25w	1 x E27 max 25w
			
ARTICLE	1033P	1034P	
DIMENSIONS	Ø 220 depth 140	Ø 220 depth 140	
POWER	3 x E27 max 25w	4 x E27 max 25w	



IP GRADE
20

MATERIALS
Slip cast ceramics,
metal base.
Ceramica bianca,
base in metallo.


COLOURS IN PHOTO
acid matt 79
Khaki matt 93

COLOUR CHART
(3)

ELECTRIC CABLE
brown



TRAFFIC



ARTICLE	1033S	1034S
DIMENSIONS	base Ø 90 Ø 220 tot.h max 1500	base Ø 90 Ø 220 tot.h max 1500
POWER	3 x E27 max 25w	4 x E27 max 25w



CLOVER

COLOURS IN PHOTO
 Grafite matt / Bianco matt 96/57
 Acqua matt / Bianco matt 88/ 57
 Bianco matt / Lemon matt 57/78
 Senape matt / Bianco matt 91/57
 Brick matt / Flesh matt 94/92

ARTICLE



1221

DIMENSIONS

base 190 x 190
h 45

POWER


1 x GX53 max 9w



1223

base 560 x 190
h 45

3 x GX53 max 9w



1224

base 380 x 380
h 45

4 x GX53 max 9w



CLOVER



IP GRADE
20

MATERIALS
Slip cast ceramics, aluminium components
Ceramica bianca, componenti alluminio

COLOURS IN PHOTO
 Brick matt / flesh matt 94/92
Bianco matt / acqua matt 57/88
Moka matt / stone matt 70/82

COLOUR CHART
(3)



ARTICLE 1220
DIMENSIONS Ø 120
h 220
depth 140
POWER 1 x GX53 max 9w



APUANE

ARTICLE	1120	1121	1122	1123
DIMENSIONS	85x85 h. 80 cable 4000	Ø 100 h. 90 cable 4000	Ø 100 h. 80 cable 4000	Ø 115 h. 80 cable 4000
POWER	1xGu10 max 10W	1xGu10 max 10W	1xG9 max 8W	1xG9 max 8W

IP GRADE
20

MATERIALS
Tuscan maiolica
Maiolica toscana

COLOURS IN PHOTO
gesso 34
acqua matt 88
naturale 44

COLOUR CHART
(1, 2 e 3)


ELECTRIC CABLE
grey

METAL
nichel satinato NCS

GLASS
trasparent
satinato

ARTICLE	1128	1129
DIMENSIONS	Ø. 160	20x15

ESEMPIO
EXAMPLE



COMPONENTI
COMPONENTS

- 5 x 1121
- 5 x 1129
- 1 x 1128



APUANE

IP GRADE
20

MATERIALS
Tuscan maiolica
Maiolica toscana


COLOURS IN PHOTO
naturale 44
argento 33
smalto licheni 52
gesso 34
acqua matt 88
smalto rosa 89

COLOUR CHART
(1, 2 e 3)

ELECTRIC CABLE
grey

METAL
nichel satinato NCS

GLASS
trasparent
satinato



ARTICLE	1120S	1121S	1122S	1123S
DIMENSIONS	base 80x80 h. 80 tot. h. max 1500	base Ø. 80 h. 90 tot. h. max 1500	base Ø. 80 h. 80 tot. h. max 1500	base Ø. 80 h. 80 tot. h. max 1500
POWER	1 x GU10 max 10W	1 x GU10 max 10W	1 x G9 max 8W	1 x G9 max 8W



APUANE

- IP GRADE
20
- MATERIALS
Tuscan maiolica
Maiolica toscana
- COLOURS IN PHOTO
naturale 44
argento 33
sugar matt 77
- COLOUR CHART
(1, 2 e 3)
- ELECTRIC CABLE
grey
- METAL
nichel satinato NCS
- GLASS
trasparent
satinato



ARTICLE	1124.1	1125.1	1126.1	1127.1
DIMENSIONS	base 80x80 depth 160	base Ø 80 depth 170	base Ø 80 depth 170	base Ø 80 depth 170
POWER	1 x GU10 max 10W	1 x GU10 max 10W	1 x G9 max 8W	1 x G9 max 8W

ARTICLE	1124.2	1125.2	1126.2	1127.2
DIMENSIONS	base 290x50 depth 160	base 290x50 depth 170	base 290x50 depth 170	base 290x50 depth 170
POWER	2 x GU10 max 10W	2 x GU10 max 10W	2 x G9 max 8W	2 x G9 max 8W

ARTICLE	1124.3	1125.3	1126.3	1127.3
DIMENSIONS	base 450x50 depth 160	base 450x50 depth 170	base 450x50 depth 170	base 450x50 depth 170
POWER	3 x GU10 max 10W	3 x GU10 max 10W	3 x G9 max 8W	3 x G9 max 8W



SETTIMELLO

		
ARTICLE	1165	1166
DIMENSIONS	base Ø 110 plate Ø. 350 length 1080	base Ø 130 plate Ø. 220 length 1200 h. 180
POWER	2 x E27 max 25w	3 x E27 max 25w

IP GRADE
20

MATERIALS
Tuscan maiolica and brass metal
Maiolica toscana e ottone

COLOURS IN PHOTO
tc/sc 1

COLOUR CHART
(1 e 3)

ELECTRIC CABLE
brown
ivory
gold

METAL
brunito BRU





IP GRADE
20

MATERIALS
Tuscan maiolica and brass metal
Maiolica toscana e ottone



COLOUR CHART
(1 e 3)



SETTIMELLO



ARTICLE	1160	1161	1162/22	1162/35
DIMENSIONS	base Ø. 120 plate Ø. 70 depth 140	base Ø. 120 plate Ø. 70 depth 140	base Ø. 120 plate Ø. 220 depth 160	base Ø. 120 plate Ø. 350 depth 160
POWER	1 x E27 max 25w	1 x E27 max 25w	1 x E27 max 25w	1 x E27 max 25w
ARTICLE	1164/22	1164/35	1163/22	1163/35
DIMENSIONS	base Ø. 110 plate Ø. 220 tot. h. max 1500	base Ø. 110 plate Ø. 350 tot. h. max 1500	base Ø. 120 depth 160 plate Ø. 220	base Ø. 120 depth 160 plate Ø. 350
POWER	1 x E27 max 25w	1 x E27 max 25w	1 x E27 max 25w	1 x E27 max 25w



VINCI




IP GRADE
20

MATERIALS
Tuscan maiolica and brass metal
Maiolica toscana e ottone

COLOURS IN PHOTO
smalto bianco/tc/sc 8/1
smalto bianco/blu 8/36
tc/sc/oro 1/27

COLOUR CHART
(1 e 3)

METAL
nichel satinato NCS



ARTICLE	1170	1174
DIMENSIONS	base 60x120 length 380 depth 210	base 150x150 length 390 cable 1500
POWER	2 x E14 max 10W	1 x E27 max 15W



MATERIALES

Matter
Matériels
Materie
Materialien

Estrate dal cuore della Toscana.

—
Quarried from the heart of Tuscany.

Notorius
Newton
Carso
Montecristo
Vivaldi
Carrara





IP GRADE
20

MATERIALS
Galestro red clay
Terra rossa galestro


COLOURS IN PHOTO
naturale 44
menta 67
gesso 34

COLOUR CHART
(1 e 2)


ELECTRIC CABLE
black
red
grey
brown




NOTORIUS



ARTICLE 872
DIMENSIONS base Ø 200
plate Ø 1000x450
h 230
tot.h.max 1500
POWER 2 x E27 max 25w



ARTICLE 870
DIMENSIONS base Ø 200
plate Ø 600
h 260
tot.h.max 1500
POWER 3 x E27 max 25w



ARTICLE 871
DIMENSIONS base Ø 200
plate Ø 750
h 280
tot.h.max 1500
POWER 3 x E27 max 25w



		
ARTICLE	874	875
DIMENSIONS	base Ø 100 plate Ø 220 h 540 tot.h.max 1500	base Ø 130 plate Ø 220 h 1160 tot.h.max 2000
POWER	1 x E27 max 25w	1 x E27 max 25w



NOTORIUS


IP GRADE
20

MATERIALS
Galestro red clay.
Terra rossa galestro.

COLOURS IN PHOTO
Naturale 44
Ruggine 13
Rame foglia 38
Piombo 62
Coral orange 63

COLOUR CHART
(1 e 2)

ELECTRIC CABLE
black
red
grey
brown

		
ARTICLE	876	877
DIMENSIONS	base Ø 100 plate Ø 420 h 230 tot.h.max 1500	base Ø 130 plate Ø 600 h 260 tot.h.max 1500
POWER	1 x E27 max 25w	1 x E27 max 25w



IP GRADE
20

MATERIALS
Tuscan maiolica, metal base.
Maiolica toscana, base metallo.

COLOURS IN PHOTO
crema 74
bruno 73
oro foglia 27

COLOUR CHART
(1 e 2)



NEWTON

ARTICLE	1001P	1002P	1003P
DIMENSIONS	Ø 140 depth 125	Ø 140 depth 130	Ø 140 depth 130
POWER	1 x G9 max 10w	1 x G9 max 10w	1 x G9 max 10w
ARTICLE	1004P	1005P	1006P
DIMENSIONS	Ø 260 depth 210	Ø 260 depth 240	Ø 260 depth 240
POWER	1 x E27 max 20w	1 x E27 max 20w	1 x E27 max 20w
ARTICLE	1007P	1008P	
DIMENSIONS	Ø 420 depth 360	Ø 420 depth 400	
POWER	1 x E27 max 25w	1 x E27 max 25w	






IP GRADE
20
MATERIALS
Tuscan maiolica, metal base.
Maiolica toscana, base metallo.

COLOURS IN PHOTO
crema 74
sky 72
rame foglia 38
bruno 73

COLOUR CHART
(1 e 2)



NEWTON

		
ARTICLE	1001S	1002S
DIMENSIONS	base Ø 90 Ø 140 tot.h.max 1500	base Ø 90 Ø 140 tot.h.max 1500
POWER	1 x G9 max 10w	1 x G9 max 10w
		
ARTICLE	1004S	1005S
DIMENSIONS	base Ø 90 Ø 260 tot.h.max 1500	base Ø 90 Ø 260 tot.h.max 1500
POWER	1 xE27 max 20w	1 xE27 max 20w
		
ARTICLE	1007S	1008S
DIMENSIONS	base Ø 90 Ø 420 tot.h.max 1500	base Ø 90 Ø 420 tot.h.max 1500
POWER	1 x E27 max 25w	1 x E27 max 25w



IP GRADE
20

MATERIALS
Galestro red clay.
Terra rossa galestro.



COLOURS IN PHOTO
Mattone 19
Pietra 41
Piombo 62
Oro 27

COLOUR CHART
(1 e 2)

ELECTRIC CABLE
grey



CARSO



ARTICLE

982S

983S

DIMENSIONS

base Ø 90
Ø 130
h. 130
tot.h.max 1500

base Ø 90
Ø 130
h. 310
tot.h.max 1500

POWER

GU10 max 15w

GU10 max 15w



CARSO

IP GRADE
20

MATERIALS
Galestro red clay.
Terra rossa galestro.

COLOURS IN PHOTO
naturale 44
coral orange 63
crema 74

COLOUR CHART
(1 e 2)

ARTICLE

DIMENSIONS

POWER



982

Ø 130
h. 130


GU10 max 15w



983

Ø 130
h. 310


GU10 max 15w



980

Ø 140
h 15


GU10 max 15w



981

Ø 230
h 20

GU10 max 15w






MONTECRISTO

IP GRADE
20

MATERIALS
Tuscan maiolica
Maiolica toscana

COLOURS IN PHOTO
bruno 73
gesso 34
oro 27

COLOUR CHART
(1 e 2)



ARTICLE	1100	1101	1104
DIMENSIONS	length 110 h 110 depth 115	length 110 h 270 depth 115	length 270 h 110 depth 110
POWER	1 x G9 max 6w	2 x GU10 max 15w	1 x R7s max 20w Led



MONTECRISTO

IP GRADE
20

MATERIALS
Tuscan maiolica
Maiolica toscana


COLOURS IN PHOTO
✓ ruggine/oro 13/27
✓ gesso/rame 34/38
✓ pietra/argento 41/33
✓ bruno/oro 73/27

COLOUR CHART
(1 e 2)

ARTICLE

DIMENSIONS


POWER



1102

base 110 x 110
h. 145

1 x GU10 max 15w



1103

base 80 x 80
h. 270
tot. h. max 1500

1 x GU10 max 15w



VIVALDI




IP GRADE
20

MATERIALS
Galestro red clay.
Terra rossa galestro.

COLOURS IN PHOTO
 Ocra 9
 Ardesia 48
 Celeste antico 10

COLOUR CHART
(1)



ARTICLE	1067	1068
DIMENSIONS	h 220 base 140x115 depth 140	h 220 base 140x115 depth 140
POWER	1 x GX53 max 10W	1 x GX53 max 10W



VIVALDI


IP GRADE
20

MATERIALS
Galestro red clay.
Terra rossa galestro.

COLOURS IN PHOTO
 Ardesia 48
 tc/sc 1
 Rosa veneto 11

COLOUR CHART
(1)

ARTICLE




1061

DIMENSIONS

plate 250x250
depth 45

POWER


1 x GX53 max 10W



1063

plate 600x200
depth 45

3 x GX53 max 10W



1064/45

plate 450x450
depth 45

4 x GX53 max 10W



IP GRADE
20

MATERIALS
Tuscan maiolica
Maiolica toscana

COLOURS IN PHOTO
Gesso 34
Pietra 41
tc/sc 1

COLOUR CHART
(1 e 2)



CARRARA

ARTICLE

1110

DIMENSIONS

h. 90
length 370
depth 125

POWER

1 x R7s max 20w LED

1111

h 70
length 230
depth 80

1 x G9 max 10w led



Luci per vivere all'aria aperta.

—
Lights for living open spaces.

THE OUTDOOR

Fuera de la
l'Esterno
En dehors de la
Außerhalb der

Bistro
Battersea
Swinger
Novecento
Spoleto
Chapeau!
Smith
Square/Oval
U-Boat
Atlante
Castelverde
Lido
Edge
Hans
Marion





BISTRO

Esterno / Outdoor

IP GRADE
44

MATERIALS
Tuscan maiolica, blown glass, metal components
Maiolica toscana, vetro soffiato, componenti in metallo.

COLOURS IN PHOTO
 Brick Matt 94
 Nero Matt 58

COLOUR CHART
(3)

GLASS
 Bianco
 Trasparent

ARTICLE



1182

DIMENSIONS

base Ø 160
depth 340
h 160

POWER

1 x E27 max 15w
(diam max 60mm)



BATTERSEA

Esterno / Outdoor

IP GRADE
44

MATERIALS
Tuscan maiolica, aluminium /brass components, PMMA diffuser
Maiolica toscana, componenti allumino/brass, diffusore in PMMA

COLOURS IN PHOTO
Khaki 93
Smalto Bianco 8
Nero Matt 58

ELECTRIC CABLE
neoprene

COLOUR CHART
(3)

METAL
Brunito BRU

TEMPERATURE
2700° K
3000° K

LIGHT ANGLE
120°

ARTICLE	979	978	977
DIMENSIONS	base Ø 130 depth 265 h 335	base ø 130 Ø 125 h 300	base Ø 130 Ø 125 h 200 tot. h max 1500
POWER	1 x GU10 max 9w or 1 xLED 6,5w 950lm driver included	1 x GU10 max 9w or 1 xLED 6,5w 950lm driver included	1 x GU10 max 9w or 1 xLED 6,5w 950lm driver included



SWINGER

IP GRADE
44

MATERIALS
Tuscan maiolica, aluminium
components, blown glass
Maiolica toscana, componenti
alluminio. Vetro soffiato

COLOURS IN PHOTO
■ smalto licheni 52
■ smalto carminio 50
■ smalto tortora 51
■ smalto melon 90
■ maiolica MC

COLOUR CHART
(3 e 4 Bis)

GLASS
□ Bianco



ARTICLE	1200	1201
DIMENSIONS	base Ø 205 h 160	base Ø 205 depth 175
POWER	1 x E27 max 15w (max diam 60 h. 105)	1 x E27 max 15w (max diam 60 h. 105)



IP GRADE
55 (bollards) 44 (wall)

MATERIALS
Tuscan maiolica , brass and alluminium components
Maiolica toscana, componenti in ottone e alluminio

- COLOURS IN PHOTO
- Cactus matt 81
 - senape matt 91
 - wine matt 76
 - khaki matt 93

COLOUR CHART
(3)

METAL
CT corten


ELECTRIC CABLE
neoprene

TEMPERATURE
2700° K
3000° K

LIGHT ANGLE
120°


NOVECENTO

Lantern / Lantern




937/50
base 130
Ø 175
h.540

1 x LED 6,3w 940lm
driver included
GX53 not available




935
base 130 x 95
h. 125
depth 200
plate Ø 160

1 x GX53 max 7W
or
1 x LED 6,5w 950lm
driver included



937/80
base Ø 130
Ø 175
h.840

1 x LED 6,5w 950lm
driver included
GX53 not available



936
base Ø 130
Ø 175
tot.h.max 1500

1 x GX53 max 7W
or
1 x LED 6,5w 950lm
driver included

ARTICLE

DIMENSIONS

POWER



NOVECENTO

Lantern / Lantern



IP GRADE
44



MATERIALS
Tuscan maiolica or Galestro, blown
glass, brass components
Maiolica toscana o Galestro, vetro
soffiato, componenti ottone.

COLOURS IN PHOTO
Galestro GS
Oliva matt 95

COLOUR CHART
3 (plus GS of chart 4)

GLASS
Bianco
Trasparent

ELECTRIC CABLE
neoprene



ARTICLE	930	931	932/165	932/220
DIMENSIONS	base 130 x 95 depth 200 h 250 Ø 160	base Ø 130 Ø 175 h 860	base Ø 130 h 1650 depth 275	base Ø 130 h 2200 depth 275
POWER	1 x E27 max 15w (diam max 60mm)	1 x E27 max 15w (diam max 60mm)	1 x E27 max 15w (diam max 60mm)	1 x E27 max 15w (diam max 60mm)



SPOLETO



IP GRADE
55

MATERIALS
Galestro outdoor clay, Brass
metal, aluminium
Galestro da esterno, ottone e
alluminio

COLOURS IN PHOTO
Smalto Bianco 8
Smalto Licheni 52
Smalto Tortora 51
Galestro GS

COLOUR CHART
3 (not MATT/ non MATT)
4 (only GS)

METAL
Brunito naturale NAT

TEMPERATURE
2700° K
3000° K

LIGHT ANGLE
120°



1230

base 120
plate 255
depth 310


1 x GU10 max 9w
or
1 x LED 6,5w 950 lm
driver incluso



1231

base 120
plate 255
depth 370

1 x GU10 max 9w
or
1 x LED 6,5w 950 lm
driver incluso



1232

base 175 x 100
plate 255
depth 450

1 x GU10 max 9w
or
1 x LED 6,5w 950 lm
driver incluso



1233/165

base 130
h 1650
depth 380

1 x GU10 max 9w
or
1 x LED 6,5w 950 lm
driver incluso



1233/220

base 130
h 2200
depth 380

1 x GU10 max 9w
or
1 x LED 6,5w 950 lm
driver incluso



1234/165

base 130
h 1650
depth 715

2 x GU10 max 9w
or
2 x LED 6,5w 950 lm
driver incluso



1234/220

base 130
h 2200
depth 715

2 x GU10 max 9w
or
2 x LED 6,5w 950 lm
driver incluso



CHAPEAU!

Esterno / Outdoor

IP GRADE
55

MATERIALS
Copper, aluminium, steel
Tuscan maiolica, blown glass.
Rame, alluminio e acciaio,
Maiolica toscana, vetro soffiato.

COLOURS IN PHOTO
cactus 81
stone matt 82

GLASS
trasparente
acqua
whisky
bianco

FLEXTUBE
natural copper / rame naturale RMN*
patined copper / rame invecchiato RMP
steel / acciaio ACC

* : this colour will age outdoor
all'esterno questo colore scurirà.

METAL (base)
natural copper / rame naturale RMN*
patined copper / rame invecchiato RMP
anodized aluminium / alluminio anodizzato ALL

ARTICLE

1020/30

DIMENSIONS

glass Ø 130
plate Ø 300
depth 200

POWER

1x E27 max 15w
(max Ø 60 x h.115)
FORI DI USCITA
EXIT HOLES



1020/30.1



1020/30.2



1020/30.2L



1020/30.3

1021/30

base Ø 130
glass Ø 130
plate Ø 300
h 850

1x E27 max 15w
(max Ø 60 x h.115)
FORI DI USCITA
EXIT HOLES



1021/30.1



1021/30.2



1021/30.2L




1021/30.3

1025

Ø 20
h 23

flex tube

ESEMPIO
EXAMPLE



COMPONENTI
COMPONENTS

1020/30.1 x 2

1021/30.2 x 1

1025 x 4

flex tube x 4 m

C.AWG.mt x 5 m



CHAPEAU!

Esterno / Outdoor

IP GRADE
55

MATERIALS
Copper, aluminium, steel
Tuscan maiolica, blown glass.
Rame, alluminio e acciaio,
Maiolica toscana, vetro soffiato.

GLASS
trasparente
acqua
whisky
bianco


FLEXTUBE
natural copper / rame naturale RMN*
patined copper / rame invecchiato RMP
steel / acciaio ACC

* : this colour will age outdoor
all'esterno questo colore scurirà.

METAL (base)
natural copper / rame naturale RMN*
patined copper / rame invecchiato RMP
anodized aluminium / alluminio anodizzato ALL

				
ARTICLE	1020	1020/20	1027	1025
DIMENSIONS	glass Ø 130 depth 150	glass Ø 130 plate Ø 200 depth 190	base Ø 130 depth 120	Ø 20 h 23
POWER	1x E27 max 15w (max Ø 60 x h.115) FORI DI USCITA EXIT HOLES	1x E27 max 15w (max Ø 60 x h.115) FORI DI USCITA EXIT HOLES	1x GU10 max 9W FORI DI USCITA EXIT HOLES	FLEX TUBE
	 1020.1	 1020/20.1	 1027.1	
	 1020.2	 1020/20.2	 1027.2	
	 1020.2L	 1020/20.2L	 1027.2L	
	 1020.3	 1020/20.3	 1027.3	

ESEMPIO
EXAMPLE



COMPONENTI
COMPONENTS

-  1025 x 9
-  1020.1 x 3
-  1020.3 x 1
-  flex tube x 5 m
-  C.AWG.mt x 6,5 m



SMITH

Paletti / Bollard



SMITH

Paletti / Bollard



IP GRADE
65

MATERIALS
Natural colour outdoor clays , diffuser pmma
Terre colorate per esterno , diffusore pmma

COLOURS IN PHOTO
Ref. Bianco RB
Galestro Nero GN

COLOUR CHART
(4)

TEMPERATURE
2700° K
3000° K

LIGHT ANGLE

40° 95°

ARTICLE

DIMENSIONS


POWER



P128

base 86 x 86
h 270


LED 1 x 1,7w or 3,5w
available with driver
or 24v



P129.1

base 86 x 86
h 540

LED 1 x 1,7w or 3,5w
available with driver
or 24v



P129.2

base 86 x 86
h 540

LED 2 x 1,7w or 3,5w
available with driver
or 24v



SMITH

IP GRADE
65


MATERIALS
Natural colour outdoor clays, diffuser.
Terre colorate per esterno, diffusore in pmma

COLOURS IN PHOTO
Galestro GS
Ref. Bianco RB
schwarz SC


COLOUR CHART
(4)

TEMPERATURE
3000° K
2700° K

LIGHT ANGLE
40° 95°



ARTICLE	P121	P123	P126
DIMENSIONS	base 70x70 height 75 depth 90	base 100x75 height 120 depth 90	base 100x75 height 240 depth 90
POWER	LED 1x1,7W or 3,5W driver included	LED 2x1,7W or 3,5W driver included	LED 2x1,7W or 3,5W driver included



ARTICLE	P127	P124
DIMENSIONS	base 75x75 length 200 h 80 depth 130	base 75x75 h. 130
POWER	LED 3x1,7W or 3,5W driver included	LED 1x1,7W or 3,5W driver included



SQUARE/OVAL

IP GRADE
65


MATERIALS
Natural colour outdoor clays, diffuser.
Terre colorate per esterno, diffusore in pmma

COLOURS IN PHOTO
Galestro GS
ref. Grigio PR

COLOUR CHART
(4)

TEMPERATURE
3000° K
2700° K

LIGHT ANGLE
40° 95°



ARTICLE	P150	P140
DIMENSIONS	Ø 180x140 depth 40 wall space Ø 120x70	Ø 165x165 depth 12 wall space Ø 120x70
POWER	LED 1X1,7W or 3,5W for driver remote available also 24v	LED 1X1,7W or 3,5W for driver remote available also 24v



U-BOAT

IP GRADE
65

MATERIALS
Natural colour outdoor clays, diffuser.
Terre colorate per esterno, diffusore in pmma




COLOURS IN PHOTO
Galestro GS

COLOUR CHART
(4)

TEMPERATURE
3000° K
2700° K

LIGHT ANGLE

40° 95°

			
ARTICLE	P211	P212	P213
DIMENSIONS	base Ø 200 height 240	base Ø 200 height 240	base Ø200 height 240
POWER	1x1,7 or 3,5 W led available with driver or 24v	2x1,7 or 3,5 W led available with driver or 24v	3x1,7 or 3,5 W led available with driver or 24v



ATLANTE



IP GRADE
44

MATERIALS
Natural colour outdoor clays,
polyuritane diffuser.
Terre colorate per esterno,
diffusore in pliuretano

COLOURS IN PHOTO
galestro GS
refrattario bianco RB

COLOUR CHART
(4)



ARTICLE	940	941
DIMENSIONS	base 200x200 sfera Ø 300 height 680	base 240X240 sfera Ø 400 height 620
POWER	1 x E27 max 25w	1 x E27 max 25w



CASTELVERDE

IP GRADE
55

MATERIALS
Natural colour outdoor clays, diffuser.
Terre colorate per esterno, diffusore in pmma


COLOURS IN PHOTO
corten CT
galestro GS
ref. Bianco RB

COLOUR CHART
(4)

TEMPERATURE
3000° K
2700° K

LIGHT ANGLE

120°



ARTICLE	1081	1082
DIMENSIONS	h. 125 length 310 depth 135	h. 150 length 400 depth 140
POWER	1 x GX53 max 7w or 1 x LED 6,5w 950lm driver incluso	2 x GX53 max 7w led not available



LIDO

IP GRADE
55

MATERIALS
Natural colour outdoor clays, diffuser.
Terre colorate per esterno, diffusore in pmma


COLOURS IN PHOTO
Schwarz SC
ref. Grigio PR

COLOUR CHART
(4)

TEMPERATURE
2700° K
3000° K

LIGHT ANGLE

120°



ARTICLE	1071	1072
DIMENSIONS	h. 115 length 210 depth 110	h. 230 length 210 depth 110
POWER	1 x GX53 max 7W or 1 x GU10 max 9W or 1 x LED 6,5w 950 lm driver incluso	2 x GX53 max 7w or 2 x GU10 max 9W or 2 x LED 6,5w 1900 lm driver incluso



EDGE

IP GRADE
65

MATERIALS
Natural colour outdoor clays, diffuser.
Terre colorate per esterno, diffusore in pmma


COLOURS IN PHOTO
Galestro GS
Ref. Bianco RB

COLOUR CHART
(4)

TEMPERATURE
2700° K
3000° K

LIGHT ANGLE

120°



ARTICLE

P230

DIMENSIONS

base 70x160
h 160
depth 130

POWER

LED 6,5W 950lm
driver included
or
1 x GX53 max 7w



HANS

IP GRADE
55

MATERIALS
Natural colour outdoor clays, aluminium
components, diffuser pmma
Terre colorate per esterno, componenti
alluminio, diffusore pmma

COLOURS IN PHOTO
Galestro GS
Ref. Bianco RB
Galestro Nero GN

COLOUR CHART
(4)

TEMPERATURE
2700° K
3000° K

LIGHT ANGLE

120°

ARTICLE	1191	1192	1193
DIMENSIONS	base 70 x 70 depth 130 h 190	base 70 x 70 depth 130 h 320	Ø 110 h 135
POWER	1 x LED 6,5w 950lm driver included or 1 x GU10 max 9w	2 x LED 6,5w 1900lm driver included or 2 x GU10 max 9w	1 x LED 6,5w 950lm driver included or 1 x GU10 max 9w



IP GRADE
55

MATERIALS
Natural colour outdoor clays, pmma diffuser.
Terra colorate per esterno, diffusore in pmma

COLOURS IN PHOTO
ref. Grigio PR

COLOUR CHART
(4)


TEMPERATURE
2700° K
3000° K

LIGHT ANGLE

120°



MARION



ARTICLE
P220

DIMENSIONS
base Ø 70
h 160
depth 180

POWER
LED 6,5w 950lm
driver included
or
GU10 max 9w



Finalmente... non solo illuminazione.

—

Finally... not only lighting.

ACCESSORI

Complements
Zubehör
Accessoires
Accesorios

Sherwood
Tirrenia
Gesti
Candelsea
Jules





SHERWOOD

					
ARTICLE	SHER.38	SHER.88	SHER.80	SHER.73	SHER.57
DIMENSIONS	Ø 340 h.420	Ø 340 h.420	Ø 340 h.420	Ø 340 h.420	Ø 340 h.420

MATERIALS
maiolica patined/glazed
maiolica dipinta/smaltata



TIRRENIA



ARTICLE	TIRR1.GN	TIRR2.GS	TIRR3.GS	TIRR4.GN	MATERIALS
DIMENSIONS	Ø 200 h. 180	Ø 200 h. 500	Ø 450 h. 135	Ø 310 h. 340	outdoor terracotta terracotta per esterno

GESTI



ARTICLE	GEST1.57	GEST1.56	GEST1.58	ARTICLE	GEST2.57	GEST2.56	GEST2.58	MATERIALS
DIMENSIONS	Ø 180	Ø 180	Ø 180	DIMENSIONS	Ø 280	Ø 280	Ø 280	tuscan maiolica maillica toscana

CANDELSEA



ARTICLE	CAND1.58	CAND1.57	CAND2.58	CAND2.57	MATERIALS
DIMENSIONS	Ø 85 h. 95	Ø 85 h. 95	Ø 160 h. 110	Ø 160 h. 110	slip cast clay ceramica bianca smaltata



JULES



ARTICLE	JULE.GS	JULE.RB	JULE.GN
DIMENSIONS	length 540 width 250 h. 350 cable 3000	length 540 width 250 h. 350 cable 3000	length 540 width 250 h. 350 cable 3000
POWER	1xGX 53 max 7W	1xGX 53 max 7W	1xGX 53 max 7W

IP GRADE
55

MATERIALS
outdoor terracotta
terracotta per esterno





TABELLE COLORI

Color chart
Index de couleur
Farbkarte
Índice de color

- 1 Le patinature
- 2 Le patinature speciali
- 3 Gli smalti
- 4 Colori per esterno
- 4 Bis
- 5 Smalti Speciali
- 6 Fishat








1 Le patinature




2 Le patinature speciali



3 Gli smalti

 8 Smalto Bianco	 57 Bianco Matt	 82 Stone Matt	 51 Smalto Tortora	 89 Smalto Rosa	 88 Acqua Matt
 52 Smalto Licheni	 98 Giallo Napoli Smalto	 78 Lemon Matt	 90 Melon Smalto	 91 Senape matt	 92 Flesh matt
 80 Orange Matt	 50 Smalto Carminio	 76 Wine Matt	 94 Brick matt	 93 Khaki matt	 70 Moka Matt
 99 Marino Smalto	 97 Salvia matt	 79 Acid Matt	 81 Cactus Matt	 54 Verde Inglese Smalto	 77 Sugar Matt
 55 Blu Navy Smalto	 71 Grau Smalto Smalto	 95 Oliva matt	 96 Grafite matt	 58 Nero Matt	 87 Nero Lucido

4 Colori per esterno

 RB Ref. Bianco	 PR Ref. Grigio	 GS Galestro	 CT Corten	 SC Schwarz	 GN Galestro Nero
--	--	---	---	--	--



4 Bis


 MC Maiolica

5 Smalti Speciali

 100 smalto Bronzo	 101 Beton matt	 102 Vulcan matt
---	--	---

6 Fishat

 Siena	 Dune	 Rubino	 Costa
--	---	---	--



Indice articoli

Artikelindex
Index d’articles
Article index
Índice de artículos

ARTICOLO / PAGINA

820 81	954/22 55	1025 19/27/145/147	1126.1 99	1233/220 143
821 79	954ST 54	1026.1 19/27	1126.2 99	1234/165 143
822 79	954/22S 51	1027 147	1126.3 99	1234/220 143
826G 79	955G 53	1031P 87	1127.1 99	1240/20 71
829 77	955BS 53	1032LP 87	1127.2 99	1240/32 71
830 77	956P 57	1032P 87	1127.3 99	1241 73
831 81	957 55	1033P 87	1128 95	1242 73
833 81	958 55	1033S 89	1129 95	1250 41
837 81	959 55	1034P 87	1130/25 83	1250BIN 41
838 81	960 16/55	1034S 89	1130/37 83	1251 43
839 81	970 55	1050 19	1130/44 83	BIN 150 41
870 109	971 57	1050 GU 19	1131/25 83	BIN 150S 41
871 109	971BIN 57	1051 21	1132/25 83	CAND1.57 175
872 109	973 57	1051 GU 21	1132/37 83	CAND1.58 175
874 110	977 135	1052 27	1132/44 83	CAND2.57 175
875 110	978 135	1052 GU 27	1160 103	CAND2.58 175
876 111	979 135	1055BL 23	1161 103	FH05 29
877 111	980 119	1058 23	1162/22 103	FH11 29
900 11/13	981 119	1059 23	1162/35 103	FH13 31
900CH 15	982 119	1061 127	1163/22 103	FH14 31
900P 16	982S 117	1063 127	1163/35 103	GEST1.56 175
900S 17	983 119	1064/45 127	1164/22 103	GEST1.57 175
901 11/13	983S 117	1067 125	1164/35 103	GEST1.58 175
901CH 15	975ST 54	1068 125	1165 101	GEST2.56 175
901S 17	990 61	1071 163	1166 101	GEST2.57 175
902 11/13	990 ROS 61	1072 163	1170 105	GEST2.58 175
902CH 15	991 61	1081 161	1174 105	JULE.GN 177
902S 17	1001P 113	1082 161	1180 75	JULE.GS 177
903 11/13/15	1001S 115	1091/20 65	1181 75	JULE.RB 177
904 11/35	1002P 113	1091/30 65	1182 133	P121 153
906 11/35	1002S 115	1091/42 65	1183 75	P123 153
907 11	1003P 113	1092/30 65	1191 167	P124 153
919 13	1004P 113	1093/30 65	1192 167	P126 153
912 16	1004S 115	1093/42 65	1193 167	P127 153
913 16	1005P 113	1100 121	1200 137	P128 151
914 16	1005S 115	1101 121	1201 137	P129.1 151
930 141	1006P 113	1102 123	1210 47	P129.2 151
931 141	1007P 113	1103 123	1210H 47	P150 155
932/165 141	1007S 115	1104 121	1211 47	P140 155
932/220 141	1008P 113	1110 129	1211H 47	P211 157
935 139	1008S 115	1111 129	1212 45	P212 157
936 139	1010 35	1120 95	1212H 45	P213 157
937/50 139	1010S 33	1120S 97	1213 45	P220 169
937/80 139	1011 35	1121 95	1214 47	P230 165
940 159	1012 33	1121S 97	1215 45	SHER.38 173
941 159	1015 39	1122 95	1215H 45	SHER.57 173
951 55	1015S 39	1122S 97	1215 BIN 45	SHER.73 173
951P 57	1016 39	1123 95	1220 93	SHER.80 173
951S 51	1017 39	1123S 97	1221 91	SHER.88 173
951ST 54	1018 39	1124.1 99	1223 91	TIRR1.GN 175
952 55	1019 39	1124.2 99	1224 91	TIRR2.GS 175
952S 51	1020 147	1124.3 99	1230 143	TIRR3.GS 175
952P 57	1020/20 147	1125.1 99	1231 143	TIRR4.GN 175
952ST 54	1020/30 145	1125.2 99	1232 143	
953BS 53	1021/30 145	1125.3 99	1233/165 143	

Toscot si riserva a proprio insindacabile giudizio di apportare modifiche, anche senza preavviso, allo scopo di migliorare la produzione.
Toscot non risponde per eventuali danni a persone o cose causati da una non corretta installazione dei propri prodotti.
La riproduzione, anche parziale, della presente pubblicazione è vietata.

Toscot reserves the right to modify its own models, without prior notice, to improve the production.
Toscot is not liable for injuries or damage due to the incorrect installation of its fixture.
No part of this catalogue may be copied.

progetto grafico
B.AND

foto
Simone Parri
Andrea Palei

post produzione foto
Pietro Dinley

grazie a
Colin, Lorella, Simone

stampa
Sincromia

www.toscot.it