


# **TECHNICAL SPECIFICATIONS**




## Balance Table Lamp (2016) P. 18

Victor Castanera (Spain)

Description: Table lamp in steel with two opal glass. Glossy black paint (Black) and PVD coated brass and chrome. With interchangeable multi wall plug adapter for multi-country use.

Colors:	Black	VCBA1003	
	Brass	VCBA1010	
	Chrome	VCBA1011	

Environment: Indoor  
Watt: 5,5W (3,5W + 2W)  
Measurements: 397 mm (H), 533 mm (L), 140 mm (W)  
Cord: 180 cm  
LED info\*: Custom LED (included and replaceable)  
CCT 2700K, dimmable, CRI 90, 50.000h




## Arch Single Pendant (2024) P. 49

Johan Lindsten (Sweden), Markus Johansson (Sweden)

Description: Pendant lamp in steel, bent and welded by hand. Each pillar is equipped with GU10 sockets. The lamp suspension details are in chrome finish, as well as the ceiling canopy. Suspension wires are adjustable with a griplock\* and power cable in transparent cover.

Colors:	White	MJAR2001.S	
	Black	MJAR2003.S	
	Blue	MJAR2006.S	
	Nude	MJAR2008.S	
	Custom	MJAR20.SXX	

Environment: Indoor  
Watt: max 2 x 20W (LED)  
Measurements: 200 mm (H), 255 mm (L), 55mm (W)  
Cord: 300 cm  
Fitting: GU10 (PAR16 Light bulb not included)




## Arch Triplette Pendant (2024) P. 48

Johan Lindsten (Sweden), Markus Johansson (Sweden)

Description: Pendant lamp in steel, bent and welded by hand. Each four pillars are equipped with a GU10 socket. Suspension fittings are in chrome finish, as well as the ceiling canopy. Suspension wires are adjustable with an griplock\* and power cable in transparent cover.

Colors:	White	MJAR2001.T	
	Black	MJAR2003.T	
	Blue	MJAR2006.T	
	Nude	MJAR2008.T	
	Custom	MJAR20.TXX	

Environment: Indoor  
Watt: max 4 x 20W (LED)  
Measurements: 200 mm (H), 654 mm (L), 55 mm (W)  
Cord: 300 cm  
Fitting: GU10 (PAR16 Light bulb not included)



## Arch Straight Pendant (2021) P. 45

Johan Lindsten (Sweden), Markus Johansson (Sweden)


Description: Pendant lamp in steel, bent and welded by hand. Each seven pillars equipped with GU10 sockets. The lamp suspension details are in chrome finish, as well as the ceiling canopy. Suspension wires are adjustable with a griplock\* and power cable in transparent cover.

Colors:	White	MJAR2001	
	Black	MJAR2003	
	Blue	MJAR2006	
	Nude	MJAR2008	
	Custom	MJAR20.XX	

Environment: Indoor  
Watt: max 7 x 20W (LED)  
Measurements: 200 mm (H), 1256 mm (L), 55mm (W)  
Cord: 300 cm  
Fitting: GU10 (PAR16 Light bulb not included)



LED info\*: Updated and detailed information, please see product sheet or website.




## Arch Circle 760 (2023) P. 50

Johan Lindsten (Sweden), Markus Johansson (Sweden)

Description: Circle pendant lamp in steel, bent and welded by hand. Each nine pillars are equipped with a GU10 socket. Suspension fittings are in chrome finish, as well as the ceiling canopy. Suspension wires are adjustable with an griplock® and power cable in transparent cover.

Environment: Indoor  
Watt: max 9 x20 W (LED)  
Measurements: 220 mm (H), 760 mm (Ø)  
Cord: 300 cm  
Fitting: GU10 (PAR16 Light bulb not included)

Colors: White MJAR2001.C1  
Black MJAR2003.C1  
Blue MJAR2006.C1  
Nude MJAR2008.C1  
Custom MJAR20.C1.XX




## Arch Circle 980 (2024) P. 52

Johan Lindsten (Sweden), Markus Johansson (Sweden)

Description: Pendant lamp in steel, bent and welded by hand. Each eleven pillars are equipped with a GU10 socket. Suspension fittings are in chrome finish, as well as the ceiling canopy. Suspension wires are adjustable with an griplock® and power cable in transparent cover.

Environment: Indoor  
Watt: max 12 x 20W (LED)  
Measurements: 220 mm (H), 980 mm (Ø)  
Cord: 300 cm  
Fitting: GU10 (PAR16 Light bulb not included)

Colors: White MJAR2001.C2  
Black MJAR2003.C2  
Blue MJAR2006.C2  
Nude MJAR2008.C2  
Custom MJAR20.C2.XX




## Mondo Pendant (2018) P. 67

Antonio Facco (Italy)

Description: Steel and opal glass. Pendant lamp with four metal shades, mounted in pairs. Allows the beholder to interact with the lamp.

Environment: Indoor  
Watt: Max 40w  
Measurements: 365 mm (H), 280 mm (Ø)  
Cord: 300cm  
Fitting: E27 (Light bulb not included)

Colors: Black AFMO2003



## Mondo Floor (2018) P. 62


Antonio Facco (Italy)

Description: Floor lamp with four metal shades, mounted in pairs. Allows the beholder to interact with the lamp. Cable with on-off switch.

Environment: Indoor  
Watt: Max 40w  
Measurements: 365 mm (H), 280 mm (Ø)  
(Shade/glass) 1530 mm (H), 500 mm (Ø)  
(Height/base)  
Cord: 180cm  
Fitting: E27 (Light bulb not included)  
Cable dimmer switch.

Colors: Black AFMO3003







## Mondo Triplette (2018) P. 66

Antonio Facco (Italy)

Description: Configuration of three Mondo pendants. The movable shades allow the beholder to interact with the lamp. Finished with matt Black paint.

Colors: Black AFMO2003.X3 

Environment: Indoor  
Watt: Max 3 x 40 W  
Cord: 300cm  
Measurements: Each lamp: 365 mm (H), 280 mm (Ø)  
Canopy: 500 mm (Ø), 38 mm (H)  
Fitting: E27 (Light bulb not included)




## Mondo Large Pendant (2018) P. 59

Antonio Facco (Italy)

Description: Steel and opal glass. Pendant lamp with four metal shades, mounted in pairs. Allows the beholder to interact with the lamp.

Colors: Black AFMO2003.V2   
Custom AFMO20XX.V2 

Environment: Indoor  
Watt: 10W  
Measurements: 400 mm (H), 360mm (Ø)  
Cord: 300cm  
LED info\*: 10W, output 750lm, CCT 3000K, CRI 90, SDCM 3, L80>50.000h, Driver: Phase cut dimmable, 110/230V.





## Mondo Large Floor (2018) P. 60

Antonio Facco (Italy)

Description: Floor lamp with four metal shades, mounted in pairs. Allows the beholder to interact with the lamp. Cable with dimmer switch.

Colors: Black AFMO3003.V2   
Custom AFMO20XX.V2 

Environment: Indoor  
Watt: 9W  
Measurements: 360 mm (H), 360 mm (Ø)  
Leg height 1530 mm (H), 500 mm (Ø)  
Cord: 180cm  
10W, output 750lm, CCT 3000K, CRI 90, SDCM 3, L80>50.000h, Wall plug adaptor with cable dimmer switch



## Stair Table (2022) P. 33

Notchi Architects (Sweden)


Description: Table lamp in steel and opal glass sphere equipped with G9 socket and rotary dimmer switch. The lamp also features with 2 x USB C charging ports.

Colors: Black NAST1003   
Yellow NAST1005   
Red NAST1007 

Environment: Indoor  
Watt: Max 3 W (LED)  
Measurements: 225 mm (H), 187 mm (L), 105 mm (W)  
Cord: 300 cm  
Fitting: G9 (Light bulb not included, use a dimmable light bulb.)  
Futures: 2 x output USB-C charging port  
Charging all Android phones, iPhone up to 14.



LED info\*: Updated and detailed information, please see product sheet or website.



## Blockchain 11 (2019) P. 5

Markus Johansson (Sweden)

Description: Pendant lamp providing downlight from every second cubes. Dimmable LED driver (DALI/PUSH DIM) is provided and fitted in the canopy. Steel wire suspensions and transparent cable.

Environment: Indoor

Watt: 6 x 5W

Measurements: 1200 mm (L), 100 mm (W), 100 mm (H)

Cord: 300 cm


LED info:\* LED (replacable-spare part)

lm output 2400 lm, CCT 3000K, SDCM 3, CRI 90, L90>100.000h, Driver: Pushdim, DALI

Colors: White MJBL2001.X11

Black MJBL2003.X11

Alu. MJBL2012.X11



## Blockchain 17 (2019) P.8

Markus Johansson, Sweden

Description: Pendant lamp providing downlight from every second cubes. Dimmable LED driver (DALI/PUSH DIM) is provided and fitted in the canopy. Steel wire suspensions and transparent cable.

Environment: Indoor

Watt: 9 x 5W

Measurements: 1863 mm (L), 100 mm (W), 100 mm (H)

Cord: 300 cm


LED info:\* LED (replacable-spare part)

lm output 4050 lm, CCT 3000K, SDCM 3, CRI 90, L90>100.000h, Driver: Pushdim, DALI

Colors: White MJBL2001.X17

Black MJBL2003.X17

Alu. MJBL2012.X17



## Blockchain 23 (2019) P. 6

Markus Johansson (Sweden)

Description: Pendant lamp providing downlight from every second cubes. Dimmable LED driver (DALI/PUSH DIM) is provided and fitted in the canopy. Steel wire suspensions and transparent cable.

Environment: Indoor

Watt: 12 x 5W

Measurements: 2520 mm (L), 100 mm (W), 100 mm (H)

Cord: 300 cm


LED info:\* LED (replacable-spare part)

lm output 5400 lm, CCT 3000K, SDCM 3, CRI 90, L90>100.000h, Driver: Pushdim, DALI

Colors: White MJBL2001.X23

Black MJBL2003.X23

Alu. MJBL2012.X23



## Blockchain 29 (2019) P. 10

Markus Johansson, Sweden

Description: Pendant lamp providing downlight from every second cubes. Dimmable LED driver (DALI/PUSH DIM) is provided and fitted in the canopy. Steel wire suspensions and transparent cable.

Environment: Indoor

Watt: 15 x 5W

Measurements: 281 (H), 374 mm (Ø)

Cord: 300cm

LED info:\* LED (replacable-spare part)

lm output 6750 lm, CCT 3000K, SDCM 3, CRI 90, L90>100.000h, Driver: Pushdim, DALI


Colors: White MJBL2001.X29

Black MJBL2003.X29

Alu. MJBL2012.X29



LED info\*: Updated and detailed information, please see product sheet or website.



### Notic Table Lamp (2019) P. 81

Notchi (Sweden)

Description: Table lamp in patterned steel and casted opal glass. Complex geometry, textile cord.

Colors: Black BSNO1003


Environment: Indoor

Watt: Max 25 W

Measurements: 475 mm (H), 153 mm (W), 153 mm (D)

Cord: 2100 mm

Fitting: G9 (Light bulb not included)



### Notic Wall (2019) P. 79

Notchi (Sweden)

Description: Wall lamp in patterned steel and casted opal glass. Complex geometry, textile cord.



Colors: Black BSNO4003

Environment: Indoor

Watt: Max 25 W

Measurements: 180 mm (H), 153 mm (W), 153 mm (D), 210 mm (From wall to edge of the shade)

Fitting: G9 (Light bulb not included)



### Notic Ceiling (2019) P. 80

Notchi (Sweden)

Description: Ceiling lamp in patterned steel and casted opal glass. Complex geometry, textile cord.

Colors: Black BSNO2003


Environment: Indoor

Watt: Max 25 W

Measurements: 180 mm (H), 153 mm (W), 153 mm (D)

Cord: 300 cm

Fitting: G9 (Light bulb not included)



### Notic Pendant (2019) P. 80

Notchi (Sweden)

Description: Pendant lamp in patterned steel and casted opal glass. Complex geometry, textile cord.

Colors: Black BSNO2003

Environment: Indoor


Watt: Max 25 W

Measurements: 180 mm (H), 153 mm (W), 153 mm (D)

Cord: 300 cm

Fitting: G9 (Light bulb not included)





## Trapeze Pendant (2018) P. 69


Jette Scheib (Germany)

Description: Steel with acrylic diffuser. Pendant lamp providing light in two different directions. Rotate each shade individual. Ceiling cup with fabric cable (1 electric terminal block).

Colors: Black JSTR2003



Environment: Indoor  
Watt: Max 2 x 20 W  
Measurements: 374mm (H), 281 mm (W), 147 mm (H)  
Cord: 300cm  
Fitting: 2 x E14 (Light bulb not included)



## Trapeze Triplette (2018) P. 70


Jette Scheib (Germany)

Description: Steel with acrylic diffuser. Pendant lamp providing light in six directions. Rotate each shade individual. Ceiling cups with fabric cable (1 electric terminal block).

Colors: Black JSTR2003.X3



Environment: Indoor  
Watt: Max 6 x 20 w  
Measurements: 1400 mm (L) x 281 mm (W) x 147 mm (H)  
Cord: 300cm  
Fitting: 6 x E14 (Light bulb not included)



## Trapeze Quartette (2018) P. 73


Jette Scheib (Germany)

Description: Steel with acrylic diffuser. Pendant lamp providing light in eight directions. Rotate each shade individual. Ceiling cups with fabric cable (1 electric terminal block).

Colors: Black JSTR2003.X4



Environment: Indoor  
Watt: Max 8 x 20 w  
Measurements: 900 mm tube. 1168mm total length x 281 mm (H)  
Cord: 300cm  
Fitting: 8 x E14 (Light bulb not included)



## Lightbone Floor lamp (2023) P. 13

FÄRG & BLANCHE (Sweden/France)

Description: Floor lamp in solid oak wood, opal glass as connections, recessed solid brass plate on top as a rotating dimmer switch. The color version are made with linseed oil.

Colors: Blue oak FBUL3006



Black oak FBUL3003




Natural oak FBUL3013



Environment: Indoor  
Watt: Max 3 x 3 w  
Measurements: 1243 mm (H) x 318 mm (Ø Base), 76 mm (Ø Pipe)  
Cord: 180cm  
LED info\*: LED 3 x 3W, 750 lm, CCT 2700K, SDCM 3, CRI 90, L90>50.000h, rotary dimmer switch.



LED info\*: Updated and detailed information, please see product sheet or website.




## Lightbone Small Ceiling lamp (2023) P. 21

FÄRG & BLANCHE (Sweden/France)

Description: Ceiling lamp in solid oak wood, opal glass as a connection for ambient light, downlight with reflector for direct light. The color versions are made with linseedoil.

Colors: Black oak FBI2003.S  
Blue oak FBI2006.S  
Natural oak FBI2013.S

Environment: Indoor  
Measurements: 230 mm (H) x 94 mm (Ø)  
Cord: 300cm  
LED info\*: 10W Downlight 1000 lm, 3W opal glass 250 lm, CCT 2700K, CRI 90, SDCM 3, L80>50.000h.  
Beam angle: 36°  
Driver: Phase cut dimmable




## Lightbone Small Pendant lamp (2023) P. 19

FÄRG & BLANCHE (Sweden/France)

Description: Pendant lamp in solid oak wood, opal glass as a connection for ambient light, downlight with reflector for direct light. The color versions are made with linseedoil.

Colors: Black oak FBI2003.S  
Blue oak FBI2006.S  
Natural oak FBI2013.S

Environment: Indoor  
Measurements: 230 mm (H) x 94 mm (Ø),  
Cord: 300cm  
LED info\*: 10W Downlight 1000 lm, 3W opal glass 250 lm, CCT 2700K, CRI 90, SDCM 3, L80>50.000h.  
Beam angle: 36°  
Driver: Phase cut dimmable




## Lightbone Medium Ceiling lamp (2023) P. 18

FÄRG & BLANCHE (Sweden/France)

Description: Ceiling lamp in solid oak wood, opal glass as a connection for ambient light, downlight with reflector for direct light. The color versions are made with linseedoil.

Colors: Black oak FBI2003.M  
Blue oak FBI2006.M  
Natural oak FBI2013.M

Environment: Indoor  
Measurements: 538 mm (H) x 94 mm (Ø),  
Cord: 300cm  
LED info\*: 10W Downlight 1000 lm, 3W opal glass 250 lm, CCT 2700K, CRI 90, SDCM 3, L80>50.000h.  
Beam angle: 36°  
Driver: Phase cut dimmable



## Lightbone Medium Pendant lamp (2023) P. 18

FÄRG & BLANCHE (Sweden/France)

Description: Pendant lamp in solid oak wood, opal glass as a connection for ambient light, downlight with reflector for direct light. The color versions are made with linseedoil.


Colors: Black oak FBI2003.M  
Blue oak FBI2006.M  
Natural oak FBI2013.M

Environment: Indoor  
Measurements: 538 mm (H) x 94 mm (Ø),  
Cord: 300cm  
LED info\*: 10W Downlight 1000 lm, 3W opal glass 250 lm, CCT 2700K, CRI 90, SDCM 3, L80>50.000h.  
Beam angle: 36°  
Driver: Phase cut dimmable



LED info\*: Updated and detailed information, please see product sheet or website.





## Lightbone Large Ceiling lamp (2023) P. 20

FÄRG & BLANCHE (Sweden/France)

Description: Ceiling lamp in solid oak wood, opal glass as a connection for ambient light, downlight with reflector for direct light. The color versions are made with linseedoil.

Colors: Black oak FBI2003.L

Blue oak FBI2006.L

Natural oak FBI2013.L



Environment: Indoor


Measurements: 836 mm (H) x 94 mm (Ø),

Cord: 300cm

LED info\*: 10W Downlight 1000 lm, 2 x 3W opal glass 250 lm, CCT 2700K, CRI 90, SDCM 3, L80>50.000h.

Beam angle: 36°

Driver: Phase cut dimmable



## Lightbone Large Pendant lamp (2023) P. 18

FÄRG & BLANCHE (Sweden/France)

Description: Pendant lamp in solid oak wood, opal glass as a connection for ambient light, downlight with reflector for direct light. The color versions are made with linseedoil.

Colors: Black oak FBI2003.L

Blue oak FBI2006.L

Natural oak FBI2013.L



Environment: Indoor


Measurements: 836 mm (H) x 94 mm (Ø),

Cord: 300cm

LED info\*: 10W Downlight 1000 lm, 2 x 3W opal glass 250 lm, CCT 2700K, CRI 90, SDCM 3, L80>50.000h.

Beam angle: 36°

Driver: Phase cut dimmable



## Cirrata Table (2011) P. 75

Markus Johansson (Sweden)

Description: Table lamp is made in aluminum with a decorative light effect. Textile cable with dimmer switch. Interchangeable multi wall plug adapter for multi country use.

Colors: White MJCI1001

Grey MJCI1002




Environment: Indoor

Watt: 3.2 W

Measurements: 444 mm (H), 220 mm (Ø)

Cord: 180cm

Fitting: LED (replaceable) 2700K



## Superwave Pendant (2024) P. 27

Notchi Architects (Sweden)

Description: Pendant lamp in wave shape body and anti glare louvers. Downlight and uplight with suspension steel wire griplock® and transparent cable. Integrated driver.

Colors: White NASW2001

Custom NASW20.XX



Environment: Indoor

Watt: 46 W

Measurements: 1190 mm (L), 70 mm (H), 65 mm (W)


Cord: 300cm

LED info\*: 102lm/W, 3289lm uplight, 1m, 1410lm downlight, CCT 3000K, CRI 90, SDCM 3, L90>100.000h.

DALI / Pushdim.



LED info\*: Updated and detailed information, please see product sheet or website.



## Superwave mid-connection (2025) P. 31

Notchi Architects (Sweden)

Description: Fitting for mid-section connection. Continuous fitting for straight line.


Colors: White NASW2001.MD

Custom NASW20.MD.XX



Environment: Indoor

Fitting: Mid section connection



## Superwave 90° corner (2025) P. 31

Notchi Architects (Sweden)

Description: Fitting for cornering 90degrees left or right turns.


Colors: White NASW2001.C90

Custom NASW20.C90.XX



Environment: Indoor

Fitting: 90 degree angle left and right



## Inside 2.0 Single (2017) P. 85

Morten & Jonas (Norway)

Description: The pendant consist with a twisted glass. Metal parts in black. The light diffuses and spread a gentle wave pattern.

Colors: Black MJIN2000




Environment: Indoor

Watt: Max 5W

Measurements: 117 mm (H) 110 mm (Ø)

Cord: 300cm

LED info\*: 10W, output 1004lm, CCT 3000K, CRI 90, SDCM 3, L80>50.000h, Driver: Phase cut dimmable



## Inside 2.0 Triplette (2017) P. 86

Morten & Jonas (Norway)

Description: The pendant consist with a twisted glass. The light diffuses and spread a gentle wave pattern. Ceiling canopy pre set positions for tripple hanging.

Colors: Black MJIN2000.X3



Environment: Indoor

Watt: Max 3 x 5 W

Measurements: 117 mm (H) x 110 mm (Ø)

Cord: 300 cm

LED info\*: 3x10 W, 1m output 1004lm, CCT 3000K, CRI 90, SDCM 3, L80>50.000h, Driver: Phase cut dimmable



LED info\*: Updated and detailed information, please see product sheet or website.